

United States
Department of
Agriculture

Forest
Service

Northeastern Area
State & Private
Forestry

180 Canfield Street
Morgantown, WV 26505



Reply To: 3460

Date: December 3, 1992

Mr. Robert MacPherson
US Secret Service
9200 Powder Mill Road
Laurel, MD 20707

Dear Bob:

On October 10, 1992, USDA Forest Service personnel conducted a gypsy moth egg mass survey at James J. Rowley Training Center. The purpose of this survey was to determine gypsy moth population densities and to assess the potential for defoliation and the need for treatment in 1993.

The results of the survey are presented in Table 1. The survey plot locations are shown in Figure 1. In brief, egg mass densities ranged from 0-40 and averaged 5 egg masses per acre. No noticeable defoliation is expected at James J. Rowley Training Center so treatment is not necessary in 1993.

If you have any questions or require additional information, please call me at 304-285-1541.

Sincerely,

Rodney L. Whiteman

RODNEY L. WHITEMAN
Forestry Technician
Forest Health Protection

Enclosures

cc: AO
Robert Tichenor
Sally Hughes




Table 1 -- Gypsy Moth Egg Mass Survey Results at
James Rowley Training Center, October 10, 1992.

Plot Number	Number EM/Acre
1	0
2	0
3	40
4	0
5	0
6	0
7	0
8	0

Range = 0-40 EM/Acre
Average = 5 EM/Acre

Figure 1. -- Gypsy moth egg mass survey plot locations at James J. Rowley Training Center, October 8, 1992.

UNITED STATES SECRET SERVICE
JAMES J. ROWLEY TRAINING CENTER



1-8 = Plot locations